


LUCY



LUCY

The LUCY monopoint redefines high performance, compact lighting with a precision-engineered 45mm (1.75") diameter and 95mm (3.75") length. Delivering over 1200 lumens at 15W, LUCY surpasses industry standards for output and efficiency, achieving exceptional delivered lumen output and center beam candlepower (CBCP) across multiple beam angles while maintaining a small, sleek, thermally optimized design.




MODULAR PUCK & LENS TECHNOLOGY

A patent-pending modular LED system allows for tool-free CCT adjustments and extends fixture longevity. Interchangeable beam angles allow for quick, precise lighting customization, catering to multiple applications.



OPTIMIZED THERMAL MANAGEMENT

Passive cooling via an engineered Venturi-effect heatsink plus patent pending copper to aluminum heat transfer ensures exceptionally high performance and longevity within a compact sleek designed luminaire.



FIELD-ADJUSTABLE OPTICS AND SUPERIOR GLARE CONTROL

LUCY custom optics, in combination with a low brightness integral snoot design, are highly effective at focusing the light and controlling glare across multiple beam angles. This is critical to the design when considering the extremely high lumen output delivered in the compact form factor. The custom optic-holders are color coded and clearly marked for easy exchange.



ULTRA-COMPACT & INVISIBLE INSTALLATION

LUCY's mounting options create the smallest ceiling footprint on the market, smaller than a button, with a seamless plug when not in use. Fixture centers over mounting stem for clean aesthetic. Compatible with mud-in and hard ceiling applications.

UNMATCHED POWER & PRECISION

Optic	Lumens	CBCP (cd)
20°	1005	7678
30°	1199	4744
40°	1210	2998
50°	1165	1692
60°	902	1041

15W 3000K Data

 2025
lightfair
innovation
award winner



