

NJ-MEDIUM

J BRACKET - ALUMINUM EXTRUSION





- J bracket featuring a slight reveal to hide the fixture
- Mounts a large family of fixtures
- Surface mounts from the side, best for wall applications
- Paintable finish
- Intended for indoor use only
- Screw mounting track for field installation of fixtures
- Inline brackets slot for seamless run connections
- Durable anodized aluminum

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NJ-MEDIUM		

Sample Part Number: **NJ-MEDIUM-ST-48"**

1 PRODUCT

NJ-MEDIUM


2 FINISH

ST	Satin
BK	Black


3 LENGTH (IN)

1" increments from 2" - 98.43"
Tolerance +0.0"/-0.5"
Light engine ordered separately


1 PRODUCT - DIMENSIONS WITH RECOMMENDED PROFILES



Profile



Profile with: LALO-01



Profile with: THIN-01

Field modifications must comply with Q-Tran's installation methods otherwise warranty is null & void | surface mount

© 2024 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

NJ-MEDIUM





J BRACKET - ALUMINUM EXTRUSION

2 FINISH

Satin


Black

COMPATIBILITY CHART

	 ARKA	 TELA	 LALO	 THIN	 VEVE	 WURM	 TORQ
Lens Notes	Works with: ARKA-01	Works with: TELA-01	Works with: LALO-01, LALO-03	Works with: THIN-01	Works with: VEVE-01, VEVE-03		
SST-01 Stainless Steel Clip			✓	✓	✓		✓
SST-03 Stainless Steel Clip	✓	✓					
WSCS White Snug Clip Small						✓	
VHB	✓	✓	✓	✓	✓	✓	✓


PHOTOMETRIC PERFORMANCE

Order separately | Tested with SW24/5.0 at 3000K






LENS	LM/FT	CCT
DF	279	3000K






LENS	LM/FT	CCT
DF	272	3000K






LENS	LM/FT	CCT
DF	253	3000K






LENS	LM/FT	CCT
B	279	3000K






LENS	LM/FT	CCT
DF	223	3000K





LENS	LM/FT	CCT
DF	237	3000K






LENS	LM/FT	CCT
ENC/TL	220	3000K

© 2024 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

NJ-MEDIUM

J BRACKET - ALUMINUM EXTRUSION

JOINER/CONNECTORS



Inline Bracket

1 per length included

6/32" stainless steel, flat tip set screws, 1/8" long

© 2024 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting