

NJ-MICRO

MICRO 5 J BRACKET - ALUMINUM EXTRUSION





- J bracket featuring a slight reveal to hide the fixture
- Mounts the MICRO 5 family of fixtures
- Surface mounts from the side, best for wall applications
- Paintable finish
- Intended for indoor use only
- Screw mounting track for field installation of fixtures
- Inline brackets slot for seamless run connections
- Durable anodized aluminum

1 PRODUCT	2 FINISH	3 LENGTH (IN)
NJ-MICRO		

Sample Part Number: **NJ-MICRO-ST-48"**

1 PRODUCT

NJ-MICRO


2 FINISH

ST	Satin
BK	Black


3 LENGTH (IN)

1" increments from 2" - 98.43"
Tolerance +0.0"/-0.5"
Light engine ordered separately


1 PRODUCT - DIMENSIONS WITH RECOMMENDED PROFILES



Profile



Profile with: ALTA-01



Profile with: ATOM-01

Field modifications must comply with Q-Tran's installation methods otherwise warranty is null & void | Corner/surface mount

© 2024 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

NJ-MICRO





MICRO 5 J BRACKET - ALUMINUM EXTRUSION

2 FINISH

Satin


Black

COMPATIBILITY CHART


	 ATOM	 TILT	 WALA	 WAVE	 NEXUS	 ALTA	 ANYBEND
Lens Notes	Works with: ATOM-01	Works with: TILT-01				Works with: ALTA-01	
SST-08 Stainless Steel Clip	✔	✔				✔	
WSC-02 White Snug Clip			✔	✔	✔		✔
VHB	✔	✔	✔	✔	✔		✔

PHOTOMETRIC PERFORMANCE


Order separately | Tested with SW24/4.0 at 3000K




LENS	LM/FT	CCT
DF	176	3000K




LENS	LM/FT	CCT
DF	136	3000K




LENS	LM/FT	CCT
DF	147	3000K




LENS	LM/FT	CCT
ENC/TL	187	3000K



LENS	LM/FT	CCT
ENC/TL	214	3000K



LENS	LM/FT	CCT
ENC/TL	191	3000K




LENS	LM/FT	CCT
ENC/TL	196	3000K

© 2024 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

NJ-MICRO

MICRO 5 J BRACKET - ALUMINUM EXTRUSION

JOINER/CONNECTORS



Inline Bracket

1 per length included

6/32" stainless steel, flat tip set screws, 1/8" long

© 2024 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting