
VOYA END MOUNT 1.75" RETROFIT G4 WALL WASH

12VAC Retrofit T3 G4 Wash Light





- Specification-grade flood/accent lighting
- Available in ultra-durable powder-coated 6061 aluminum, polished brass, or polished 316L stainless steel
- Wash snoot offers a wide, even sheet of light for short walls and signage
- Position one fixture per 4-6 feet of wall for vertical illumination
- Available in two static white CCTs: 2700K and 3000K
- Flexible tree, surface, wall and ground mounting options support diverse installations
- Additional lamps can be ordered separately. Use part code on master ordering guide.
- Wet listed for exterior applications

1 PRODUCT	2 KNUCKLE	3 SNOOT OPTIONS	4 LAMPS	5 CCT	6 WATTS	7 BEAM ANGLE	8 MATERIAL	9 FINISH
VOYA-EM-1.75-G4-12VAC	ST	WAS				N/A		

Sample Part Number: **VOYA-EM-1.75-G4-12VAC-ST-WAS-G4-EA-SW-30-3.0-N/A-SS-P**

1 PRODUCT

VOYA-EM-1.75-G4-12VAC	

2 KNUCKLE

ST	Standard

3 SNOOT OPTIONS

WAS	Wash Light

4 LAMP

G4-EA-SW	Emery Allen
N/A	No Lamp

Max 10W T3 G4 base retrofit lamp.

5 CCT - CRI

27	2700K	90
30	3000K	90
N/A		

6 WATTS

3.0	3.0W
N/A	

7 BEAM ANGLE

N/A
N/A

8 MATERIAL

A	6061 Aluminum Anodized and Powder Coated
B	Brass H59
SS	Stainless Steel 316L

9 FINISH

BG	Beige
BB	Black Bronze
BK	Black
BKT	Black Texture
BZ	Bronze
BZT	Bronze Texture
SL	Silver
WH	White
CU	Custom

Lead times differ. BZT parts are readily available.
All other standard finishes are painted upon order.
Custom finishes: consult factory

P	Polished

Brass and Stainless Steel have longer lead times: consult factory

5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance


© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | QTL.lighting

Specification subject to change. Rev-11-02-26

VOYA END MOUNT 1.75" RETROFIT G4 WALL WASH

12VAC Retrofit T3 G4 Wash Light

1 PRODUCT - DIMENSIONS



Wall Wash Snoot (WAS)

9 FINISH


ALUMINUM POWDER COAT FINISHES

Lead times differ. BZT parts are readily available.
All other standard finishes are painted upon order.
Custom finishes: consult factory




BRASS AND STAINLESS STEEL POLISHED FINISHES

Brass and Stainless Steel have longer lead times: consult factory



ACCESSORIES



SNOOT INSTALL KIT

To order separately, use VOYA-SNOOT-INSTALL-KIT

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information.
Data subjectt to change, all data has +/- 5% tolerance

DIMMING PROTOCOL	OUTDOOR
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS


© 2026 QTL. All rights reserved

VOYA EM/SM 1.75" MOUNT COMPATIBILITY

Landscape Lighting

SURFACE/WALL


See Surface/Wall installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.





Q-WB

Wood Beam Mount



Q-MT-11*


With Water Protection



Q-MT-17*



Q-MT-18




Q-MT-19

With Water Protection



Q-MT-21




Q-MT-22




Q-MT-37*

SURFACE/WALL J-BOX PLATES

See Surface/Wall J-Box Plate installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.






Q-MT-24

Compatible with 1 GANG RECTANGLE WEATHER PROOF J-BOX or 4/0 WEATHER PROOF J-BOX by others



Q-MT-25



Q-MT-26

Compatible with 1 GANG RECESS J-BOX or 4/0 RECESSED J-BOX by others



Q-MT-27

Compatible with 3/0 RECESSED J-BOX by others




Q-MT-42*

Compatible with 1 GANG RECTANGLE WEATHER PROOF J-BOX or 4/0 WEATHER PROOF J-BOX by others

TREE MOUNT

See Tree Mount installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.





Q-MT-10



Q-MT-12*




Q-MT-14*

With Tree Strap




Q-MT-39*



Q-MT-50 (No Driver)

With Water Protection and Tree Strap





Q-MT-51*

With Water Protection


DIRECT BURIAL

See Direct Burial installation for dimensions and included hardware. Refer to the mount cut sheets for complete order codes regarding mount's options.





Q-MT-6*




Q-MT-7*

With Water Protection




Q-MT-45*



Q-TRIX-R20* (No Driver)

With Water Protection




Q-TRIX-R50* (With Driver)


With Water Protection

MOUNT ACCESSORIES


See Accessories installation for dimensions and included hardware.



NPS ADAPTER




AY-3 Riser Pole



AY-7

No Water Protection



(RA) ROTATIONAL ADAPTER

With Water Protection

***Compatible with AY-3 Riser Pole**

© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | QTL.lighting

Specification subject to change. Rev-11-02-26