

EXCELSIOR PL-15

12V GY6.35/G4 4W LED Path Light



PL-15 Shown in Dark Bronze Finish (DB)



Dimensions: 1 1/4"x 1 1/4" tube, 12/20" Height x 7" Length

- 6061 Marine Grade Aluminum with eight polyester powder coat finishes.
- Stainless steel hardware.
- 6' of 18/2 low voltage cable supplied.
- Frosted, tempered glass lens.
- High-temperature silicone O-ring seals are used to seal the cap against the body.
- Maximum Wattage: 4W LED
- Input Voltage: 12V (remote transformer required)
- Socket: GY 6.35 Bi-Pin Porcelain (accepts G4 Lamps)
- Wet Listed
- Specification-grade, wet-location landscape luminaire for path or garden lighting applications.

1 PRODUCT	2 MATERIAL	3 STEM HEIGHT	4 FINISH
PL-15			

Sample Part Number: **PL-15-B-20-DB**

1 PRODUCT	2 MATERIAL	3 STEM HEIGHT	4 FINISH
PL-15	**A** Aluminum	**12** 12" Height **20** 20" Height	**BG** Beige **BB** Black Bronze **BK** Black **BKT** Black Texture **BZ** Bronze **BZT** Bronze Texture **SL** Silver **WH** White
	B Brass	**12** 12" Height **20** 20" Height	**BG** Beige **BB** Black Bronze **BK** Black **BKT** Black Texture **BZ** Bronze **BZT** Bronze Texture **SL** Silver **WH** White **DB** Dark Bronze **NT** Natural DB finish has longer lead time

5 year warranty | Warranty only valid with QTL power supplies | Field modifications void warranty | Data subject to change, all data has +/- 5% tolerance


© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

Specification subject to change. Rev-05-12-26

EXCELSIOR PL-15

12V GY6.35/G4 4W LED Path Light

1 PRODUCT - DIMENSIONS



2 MATERIAL



Aluminum

Brass

4 FINISH

Eight Standard TGIC Free powder coat finishes and Two natural finish available



Beige

Black

Black Texture

Bronze

Bronze Texture



Black Bronze

Dark Bronze

Natural

Silver

White

© 2026 QTL. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@QTL.lighting | www.QTL.lighting

EXCELSIOR PL-15

12V GY6.35/G4 4W LED Path Light

ACCESSORIES - MOUNTING

1/2" NPS; Mount options must be order separately

MT-45	MT-6	MT-7	MT-8
			
Ground Stake	Stainless Steel Ground Spike	Stainless Steel Ground Spike	Stainless Steel Ground Spike

LAMPS

G4 LED; GY-6.35 Bi Pin Porcelain (accepts G4 Lamps)
Maximum wattage: 4W LED

G4	G4	G4	G4
			
EMERY ALLEN 1.0W AMBER	EMERY ALLEN 3.0W	EMERY ALLEN 3.0W	EMERY ALLEN 4.0W

COMPATIBLE POWER SUPPLIES

See power supplies cut sheets for more information. Data subject to change, all data has +/- 5% tolerance.

DIMMING PROTOCOL	OUTDOOR
	LANDSCAPE LIGHTING
Phase	Q-HEX Q-SET-1 Q-SET-2 Q-SET-3 QOMD QOMS

© 2026 QTL. All rights reserved